



WOOD FIRES

regency-fire.com.au

Contents

Narrabri

SMALL WOOD FIRE

Cardinia

MEDIUM WOOD FIRE

Renmark

MEDIUM WOOD FIRE

Albany

MEDIUM WOOD FIRE

Alterra

MEDIUM WOOD FIRE

Bondi

MEDIUM WOOD FIRE

Windsor

MEDIUM WOOD FIRE

Hamilton

MEDIUM WOOD FIRE

Hume

EXTRA LARGE WOOD FIRE

Gosford

EXTRA LARGE WOOD FIRE

Specifications

04

05

06

08

09

10

12

13

14

15

16

Why Regency?

BECAUSE IT'S ***MORE*** THAN A FIREPLACE!

A modern black wood-burning stove with a side stacker base, set against a light-colored wood-paneled wall. The stove has a large glass front showing a fire burning inside. A tall, textured metal chimney pipe extends from the top. To the left, a side stacker base is filled with logs. A red banner in the top right corner reads "NEW PRODUCT".

NEW
PRODUCT

Bondi Wood Fire with Side Stacker

IMPORTANT SAFETY DISCLAIMER:

The image showing the BONDİ fireplace with the stacker base door closed is for illustration only. The door must remain open during use if wood or any combustible material is stored inside. Closing the door while burning may pose a serious fire hazard.

REGENCY NARRABRI

SMALL WOOD FIRE

The Narrabri is a perfect fit for smaller rooms providing heat that is fully adjustable with the easy to use, single rod draft control. With a steel firebox and quality firebrick lining, this heater will provide your home with warmth for years to come.



STANDARD FEATURES

- ▶ Heats up to 140 sq.mtr*
- ▶ Glass viewing area (340 x 250mm)
- ▶ Single rod draft control
- ▶ Strong bakelite handles
- ▶ Steel firebox with firebrick lining on the sides
- ▶ Airwash system
- ▶ Adjustable leg bolts for levelling on uneven surfaces
- ▶ Power output: 7.8 kW Emissions: 1.4 g/kg
- ▶ 330mm log length
- ▶ Overnight burn**



REGENCY CARDINIA

MEDIUM WOOD FIRE



Designed to heat small to medium sized living areas, the simple modern lines of the Cardinia suit a wide range of decors. This radiant heater boasts several features, including: a large glass viewing area, the ability to heat up to - 200 sq.mtr* and front-to-back or side-to-side log placement.

STANDARD FEATURES

- ▶ Heats up to 200 sq.mtr*
- ▶ Large glass viewing area (460 x 260mm)
- ▶ Single rod draft control
- ▶ Strong bakelite handles
- ▶ Steel firebox with firebrick lining
- ▶ Airwash system
- ▶ Cast iron cook top
- ▶ Power output: 10 kW Emissions: 0.5 g/kg
- ▶ 450mm log length
- ▶ Overnight burn**

OPTIONS

- ▶ 8mm steel baffle
- ▶ Cast iron liners



CARDINIA CAST IRON COOK TOP



* Varies depending on home floor plan, house layout, heat loss of the house and quality/moisture content of wood.

**6-8 hours average burn time varies depending on fuel and loading.

REGENCY RENMARK

MEDIUM WOOD FIRE

Its contemporary design and large viewing area sets the Renmark apart from traditional freestanding wood fires. This convection heater, with optional 2-speed fan, is designed for medium sized living areas and can easily heat up to 250 sq.mtr.

STANDARD FEATURES

- ▶ Heats up to 250 sq.mtr*
- ▶ Large glass viewing area (460 x 260mm)
- ▶ Single rod draft control
- ▶ Strong bakelite handles
- ▶ Steel firebox with firebrick lining
- ▶ 15 Year firebox warranty
- ▶ Airwash system
- ▶ Power output: 11 kW Emissions: 0.5 g/kg
- ▶ 450mm log length
- ▶ Overnight burn**

OPTIONS

- ▶ 2-speed thermostatically controlled fan
- ▶ 8mm steel baffle
- ▶ Cast iron liners

** Varies depending on home floor plan, house layout, heat loss of the house and quality/ moisture content of wood.*

*** 6-8 hours average burn time varies depending on fuel and loading.*



REGENCY ALBANY

MEDIUM WOOD FIRE

The Albany sets the standard for the industry's most reliable, well-constructed freestanding wood fire; providing beautiful wood heat to a large living area of 200 - 240 sq.m*. Load wood front-to-back or side-to-side for optimum convenience, then sit back and enjoy the warmth.



STANDARD FEATURES

- ▶ Heats up to 250 sq.mtr*
- ▶ Large glass viewing area (460 x 260mm)
- ▶ Single rod draft control
- ▶ Strong bakelite handles
- ▶ Steel firebox with cast iron lining
- ▶ 15 Year firebox warranty
- ▶ 8mm steel baffle
- ▶ Airwash system
- ▶ Powerful 3-speed thermostatically controlled fan
- ▶ Power output: 11 kW Emissions: 0.5 g/kg
- ▶ 450mm log length
- ▶ Overnight burn**



REGENCY ALTERRA

MEDIUM WOOD FIRE

A wood burning stove with modern appeal! The contemporary design of Regency's Alterra wood stove puts the focus on the brilliant glowing fire. With an impressive viewing area, and a convenient firewood storage area, the Alterra is perfectly proportioned for visual pleasure and functional convenience.



STANDARD FEATURES

- ▶ Heats up to 250 sq.mtr*
- ▶ Large glass viewing area (460 x 260mm)
- ▶ Single rod draft control
- ▶ Strong bakelite handles
- ▶ Steel firebox with firebrick lining
- ▶ Airwash system
- ▶ 2-speed thermostatically controlled fan
- ▶ Power output: 11 kW Emissions: 0.5 g/kg
- ▶ 450mm log length
- ▶ Overnight burn**
- ▶ Black side panels

OPTIONS

- ▶ Stainless steel side panels
- ▶ 8mm steel baffle
- ▶ Cast iron liners



*Varies depending on home floor plan, house layout, heat loss of the house and quality/moisture content of wood.

**6-8 hours average burn time varies depending on fuel and loading.

REGENCY BONDI

MEDIUM WOOD FIRE

NEW
PRODUCT



CONTEMPORARY STYLE

Designed for modern living, the Bondi Wood Heater adapts effortlessly to any space. Choose the sleek stacker with its concealed storage and sliding door for a clean, minimalist look. Prefer a bold statement? The wide bench option adds a striking focal point to any room. Or go fully custom with a base that fits your customers unique style.

With optional fan integration in the stacker and bench configurations—or a streamlined, fan-free installation—the Bondi delivers warmth and ambiance exactly how you want it. Give your customers more choices, more style, and more ways to create the perfect space.



ULTIMATE FLEXIBILITY

STANDARD FEATURES

- ▶ Heats up to 250 sq. mtr*
- ▶ Large black frit glass viewing area for contemporary styling
- ▶ Power output: 11kW Emissions: 0.5 g/kg
- ▶ Cast Iron lined steel firebox
- ▶ 8mm Steel Top Baffle
- ▶ 15 year limited warranty
- ▶ Automated Airwash system
- ▶ 450mm log length
- ▶ Overnight burn**

See page 18 for options and specifications.

OPTIONS

- ▶ **Stacker base** including sliding front door and 2 speed thermostatically controlled fan
- ▶ **Side stacker** including sliding front door – can be used either left or right side
- ▶ **Wide bench** (1280mm) including 2 speed thermostatically controlled fan
- ▶ **Low base** without fan
- ▶ **Leg base** without fan

REGENCY WINDSOR

MEDIUM WOOD FIRE

Choose the Windsor and bring the wood fire warmth to your home. Perfect for heating large living areas up to 260 sq.mtr., this wood fire has all the modern conveniences - efficient heat, an optional ash drawer, and easy operation; while keeping up with tradition.



STANDARD FEATURES

- ▶ Heats up to 260 sq.m*
- ▶ Large glass viewing area (380 x 215 mm)
- ▶ Front mounted air adjustment
- ▶ High performance brick-lined firebox (base & sides) reflects heat
- ▶ Cast iron legs in black
- ▶ Cast iron arched door in black
- ▶ Power output: 9.4 kW Emissions: 1.3 g/kg
- ▶ 400mm log length
- ▶ Overnight burn**

OPTIONS

- ▶ 2-speed thermostatically controlled fan
- ▶ Convector airmate
- ▶ Ash drawer
- ▶ Outside air kit



REGENCY HAMILTON

MEDIUM WOOD FIRE



The Hamilton medium wood fire brings warmth and contemporary styling to your home. Perfect for heating large living areas up to 260 sq.mtr, this wood fire has all the modern conveniences: efficient heat, an optional ash drawer, and easy operation.



STANDARD FEATURES

- ▶ Heats up to 260 sq.mtr*
- ▶ Large glass viewing area (380 x 215 mm)
- ▶ Front mounted air adjustment
- ▶ High performance brick-lined firebox (base & sides) reflects heat
- ▶ Contemporary cast iron door
- ▶ Power output: 9.4 kW Emissions: 1.3 g/kg
- ▶ 400mm log length
- ▶ Overnight burn**

OPTIONS

- ▶ 2-speed thermostatically controlled fan
- ▶ Convector airmate
- ▶ Ash drawer
- ▶ Outside air kit



* Varies depending on home floor plan, house layout, heat loss of the house and quality/moisture content of wood.

** 8-10 hours average burn time varies depending on fuel and loading.

REGENCY HUME

EXTRA LARGE WOOD FIRE



The Hume provides a dramatic wide glass view of an incredible fire while warming larger living areas. The firebox is specially designed to maximize heat output and is fitted with a 3-speed fan for extra circulation.

STANDARD FEATURES

- ▶ Heats up to 320 sq.mtr*
- ▶ Large glass viewing area (575 x 275mm)
- ▶ Single rod draft control
- ▶ Strong bakelite handles
- ▶ Steel firebox with cast iron lining & a firebrick base
- ▶ 8mm steel baffle
- ▶ Airwash system
- ▶ Powerful 3-speed fan
- ▶ Power output: 13 kW
- ▶ Emissions: 1.5 g/kg
- ▶ 550mm log length
- ▶ Overnight burn**



REGENCY GOSFORD

EXTRA LARGE WOOD FIRE

Impressive in size and performance, the Gosford delivers incredible high efficiency heat for maximum comfort. The sleek styling is complemented by Regency's tradition of reliability and leading edge wood burning technology. The Gosford produces more heat using less wood by extending the burn.



STANDARD FEATURES

- ▶ Heats up to 350 sq.mtr*
- ▶ Large glass viewing area (575 x 275mm)
- ▶ Single rod draft control
- ▶ Strong bakelite handles
- ▶ Steel firebox with cast iron lining & a firebrick base
- ▶ 8mm steel baffle
- ▶ Airwash system
- ▶ Powerful 3-speed fan
- ▶ Power output: 13 kW Emissions: 1.5 g/kg
- ▶ 550mm log length
- ▶ Overnight burn**



* Varies depending on home floor plan, house layout, heat loss of the house and quality/moisture content of wood.

** 8-10 hours average burn time varies depending on fuel and loading.

Specifications (MM)


| SPECIFICATIONS | Narrabri | Cardinia | Renmark | Alterra | Albany | Hume | Gosford | Windsor/ Hamilton | Bondi |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Heating capacity | up to 140 m ² | up to 200 m ² | up to 250 m ² | up to 250 m ² | up to 250 m ² | up to 320 m ² | up to 350 m ² | up to 260 m ² | up to 250 m ² |
| Efficiency | 67% | 69% | 69% | 70% | 70% | 65% | 65% | 63% | 70% |
| Emissions (g/kg) | 1.4 | 0.5 | 0.5 | 0.5 | 0.5 | 1.5 | 1.5 | 1.3 | 0.5 |
| Average heat output (kW) | 7.8 | 10 | 11 | 11 | 11 | 13 | 13 | 9.4 | 11 |

Where fitted thermostatically controlled fans do not activate until fire heats up and may take 20-30 mins.

NOTE: Heating capacity and any burn times are a guide only and can be affected by some or all of the following examples: home floor plan, house layout, heat loss of the house and quality/moisture content of wood.

Heating capacities are based on cooler Australian climate areas – warmer geographical locations within Australia such as Queensland, Northern NSW and Western Australia should factor an increase in unit heating area.



This is a guide - specifications based on the current model at time of publishing. Always refer to the data plate for unit specific details.






| DIMENSIONS | A* | B | C | D | E |
|--------------------|-----------|-----|-----|-----|-----|
| Cardinia | 692 | 585 | 463 | 152 | 180 |
| Renmark | 712 | 640 | 497 | 152 | 183 |
| Albany | 792 | 688 | 482 | 152 | 194 |
| Hume | 859 | 769 | 539 | 152 | 170 |
| Gosford | 902 | 794 | 570 | 152 | 167 |
| Hamilton / Windsor | 879 / 798 | 610 | 630 | 152 | 163 |

* Measured to top of flue collar for height (Gosford)


NARRABRI



ALTERRA



CLEARANCES TO COMBUSTIBLE MATERIALS & MINIMUM HEARTH MEASUREMENTS



| RESIDENTIAL INSTALLATION | | | A | B | C | D | E | F | G | H |
|--------------------------|---------------------------------|-----------------|-----|---------|-----|-----|---------|---------|------|------|
| Narrabri | Standard Default Kit (3, 5) | | 650 | 225 | 375 | 0 | 135 | 300 | 760 | 780 |
| Cardinia | Standard Default Kit (1) | | 700 | 225 | 450 | 192 | 147 | 450 | 880 | 1105 |
| | AHD Special Kit | | 750 | 250 | 450 | 192 | 147 | 450 | 880 | 1105 |
| Renmark | Standard Default Kit (1) | | 400 | 100 | 175 | 100 | 120 | 350 | 880 | 914 |
| | AHD Special Kit (4) | | 450 | 100 | 175 | 100 | 120 | 350 | 880 | 914 |
| Alterra | Standard Default Kit (1) | | 475 | 160 | 175 | 160 | 78 | 300 | 875 | 969 |
| | AHD Special Kit | | 475 | 160 | 175 | 160 | 78 | 300 | 875 | 969 |
| Albany | Standard Default Kit (1) | | 400 | 100 | 75 | 100 | 96 | 350 | 880 | 932 |
| | AHD Special Kit | | 400 | 100 | 125 | 100 | 96 | 350 | 880 | 932 |
| Hume | Standard Default Kit (2) | | 400 | 180 | 200 | 181 | 123 | 400 | 1015 | 1120 |
| | AHD Special Kit | | 450 | 300 | 200 | 181 | 123 | 400 | 1015 | 1120 |
| Gosford | Standard Default Kit (2) | | 390 | 160 | 200 | 160 | 123 (6) | 380 (6) | 1015 | 1080 |
| | AHD Special Kit | Refer to Manual | 420 | 220 | 200 | 220 | 123 (6) | 380 (6) | 1015 | 1140 |
| Windsor/ Hamilton | Standard Default Kit (2) | Rear Deflector | 450 | 100 | 275 | 0 | 118 | 300 (7) | 845 | 990 |
| | State Wide Heating 6141ws (8) | Rear Deflector | 550 | 175 (9) | 275 | 0 | 118 | 300 (7) | 845 | 990 |
| Bondi | Standard Default kit Decro (1) | | 400 | 160 | 200 | 0 | 110 | 300 | 875 | 775 |
| | Standard Default kit Solid (10) | | 400 | 160 | 200 | 0 | 110 | 300 | 875 | 775 |
| | AHD Special Kit (11) | | 400 | 160 | 200 | 0 | 110 | 300 | 875 | 775 |

Note (1) Standard Default Kit used for clearances includes 1 x 900 mm length of 130° stainless between active flue and 2 lengths of decromesh.

Note (2) Standard Default Kit only required includes 2 lengths of decromesh.

Note (3) B clearance can be reduced to 125 mm by the addition of 1 x 900 mm x 180° stainless shield fitted and spaced between the active flue and the decromesh.

Note (4) AHD special kit can be substituted with Statewide Heating 6141ws kit + 95200.

Note (5) Standard default kit can be substituted with flomet super single flue kit.

Note (6) measured from front edge of floor protector to pedestal base.

Note (7) measured from appliance door.


Note (8) Double sleeved flue kit (State Wide Heating p/n 6141ws) with 195200 rear shield fitted.

Note (9) Rear clearance can be reduced to 100mm with Airmate fitted.

Note (10) Standard Default Kit only includes 2 lengths of solid outer casing

Note (11) AHD Special Flue kit with 1 x 900mm length of 180 degree stainless shield behind first active flue

Specifications (MM)




| BONDI WOOD HEATER DIMENSIONS | | | |
|------------------------------|-------------|-----------|-----------|
| | A1 - HEIGHT | B - DEPTH | C - WIDTH |
| BODY | 502 mm | 475 mm | 660 mm |
| BODY ON STACKER | 932 mm | 475 mm | 660 mm |
| BODY ON BENCH | 954 mm | 475 mm | 1280 mm |
| BODY ON LEGS | 832 mm | 475 mm | 660 mm |
| BODY ON LOW BASE | 774 mm | 475 mm | 660 mm |


| BONDI CLEARANCES* | | | |
|-------------------|--------|--------|----------------|
| REAR | SIDE | CORNER | HEARTH (FRONT) |
| 160 mm | 400 mm | 200 mm | 300 mm |

*Clearances when using a standard default flue kit (mesh or solid outer) or AHD special insulated flue kit.
Please refer manual for specific requirements.


Bondi Legs Kit




Bondi Side Wood Stacker




Bondi Low Base



Bondi Bench with Fan Kit



Bondi Wood Stacker with Fan Kit



ENJOY YOUR REGENCY — FOR LIFE



You'll be happy with your Regency for years to come, our 15 years Limited Warranty guarantees it. Not only have we invested in quality workmanship, the finest materials and durable heavy-duty construction but we have carefully selected a dealer network that is committed to your satisfaction. All Regency wood fires exceed stringent Australian testing standards. We know that you will be as proud of your Regency as we are.

NOTE: All product specifications are subject to change without notice. Before installing refer to the relevant product manual for full and up to date information. Heating capabilities of units are affected by: drafts under doorways or through flooring, large glass areas not covered by heavy drapes, ceiling heights greater than 2.4m or cathedral type ceilings, poor or no insulation and geographical locations.

Burning Wood – A Green Choice

WOOD IS AFFORDABLE

Reduce your dependence on high priced, non-renewable home heating fuels by burning wood. Turn your fire down and enjoy comforting warmth in your main living area with a Regency wood product. Whether you buy your wood or collect it yourself, you will notice the savings within its first year.

RENEWABLE RESOURCE

Wood is a renewable natural resource - well-managed forests are a renewable, sustainable source of energy that helps us reduce greenhouse gas emissions and be less dependent on oil & gas.

WOOD IS CARBON NEUTRAL

As trees grow they absorb carbon dioxide from the atmosphere. When trees die and are left to decompose in the forest or burn in forest fires the carbon stored in the trees is released in the atmosphere as carbon dioxide. Burning firewood produces the same amount of carbon dioxide as it has absorbed during its life cycle - making wood burning carbon neutral.

CERTIFIED

All Regency Wood Stoves and Fireplaces have been tested and certified to the strictest Australian Clean Air Standards.



Fireplace Products Australia Pty Ltd.

99 Colemans Rd, Dandenong South VIC,
3175, Australia

Phone: 1 800 081 978

Fax: 03 9799 7822

Email: sales@regency-fire.com.au

Distributor WA

Air Group Australia

131 Bannister Rd, Canning
Vale WA 6155

Australia

Phone: 08 9350 2200

Your Regency Dealer

Find More Products at regency-fire.com.au

